

Date: 27.04.2019

| I – IDENTIFICATION OF THE PRODUCT AND COMPANY | | | | | |
|---|-----------------------------|--|---|--|--|
| Trade Name | Valera grease | Valera grease | | | |
| Purpose | Multipurpose grease that | Multipurpose grease that convert rust to protective coating | | | |
| Producer | VMPAUTO LLC | VMPAUTO LLC | | | |
| Address | | Promyshlennaya str. 40A, 198095, Saint-Petersburg, Russia | | | |
| Tel/Fax: E-mail | +7 (812) 601-05-50 / 60 | +7 (812) 601-05-50 / 601-05 59, export@vmpauto.com | | | |
| Hazard Indication | II – HAZARDS IDI | | | | |
| | | The greases should be marked according to «EU General Directive of classification of dangerous substances» F+ flammable | | | |
| Hazard for health | can appear if application | Product is safety packed in hermetic aerosol bottle. Dangerous influence to human can appear if application does not conform instruction of application and if aerosol bottle was damaged by overheating or mechanical impact. | | | |
| Ecological hazard | It is not classified as ha | It is not classified as hazardous substance for environment. | | | |
| | III – COMPO | | | | |
| Chemical composition | - | n of mineral oil, emulsifier, inhi | mineral oil, emulsifier, inhibitor of corrosion and filler. | | |
| Product | Components | mass concentration % | CAS-Number | | |
| Grease Valera | Polyalkylene glycol | 45-50% | 25322-68-3 | | |
| | butylglycol | 45-48% | 111-76-2 | | |
| | Zink diethyldithiophosphate | | 7282-28-2 | | |
| IV - FIRST-AID MEASURES | | | | | |

It is not hazardous for health under normal application conditions.

Washout eyes with big quantity of water during 15 minutes. If irritation continues, consult a doctor.

Take off dirty dress. Polluted skin washout with soap. Under normal use doctor's

consultation is not necessary.

Go outside. If breathing is difficult – consult a doctor.

Cure is not necessary. Exception is sudden swallowing of big quantity of product. If health is worth, consult a doctor.

General information

Anatomical airways
Digestive system

Eyes

Skin



| V- MEASURES AN | ID MEA | NS OF PREVENTING FIRE AND EXPLOSION HAZARD | |
|--|---|--|--|
| Firefighting tools | Firefighting tools are used that don't keep on fire (sand, large felt melt, water, chemical foam, dry powder etc.) | | |
| Special hazard | Risk is not identified. | | |
| Prohibited means | Do not use water in the form of a jet. | | |
| Means of individual protection | Protec | tive suit, respirator, isolated gas mask. | |
| VI- MEASURES OF PRI | VENTIN | NG AND LIQUIDATION OF ACCIDENTS AND EMERGENCES | |
| doesn't let product get in drinking sour | es on w | or other inertial material is scooped up mechanically. Utilize proper way. It vater pools surfaces, sewerage and soil. | |
| VII- STORAGE REGULATIONS | OF CH | EMICAL PRODUCTION AND ITS TREATMENT UNDER HANDLING | |
| Conoral asfativituda | Llodor | OPERATIONS normal use of the product is stable and does not require special protective | |
| General safety rules | | nent. The product relates to hardly combustible and low toxic class. | |
| Handling | | t necessary under normal use. | |
| Storage | Use ru | bber gloves. | |
| Recommended materials | It is no | t necessary under normal use. | |
| Incompatible materials | | t necessary under normal use. | |
| | | OR HAZARDS AND MEANS OF INDIVIDUAL PROTECTION | |
| General information | Under normal use of the product preparation, product is stable and it doesn't require special protective equipment. Preparation of the product is related to hard-combustible and low-toxic products. | | |
| Protection of breathing | It is no | t required under right application. | |
| Protection of eyes | It is no | t required under right application. | |
| Protection of skin | It is no | t required under right application. | |
| Protection of hands | Use rubber gloves. | | |
| I | X – PHIS | SICAL AND CHEMICAL PROPERTIES | |
| Physical conditions | | Viscous grease | |
| Density, g/cm ³ | | 0,960-0,980 | |
| | | | |
| Water Solubility | | water-insoluble | |
| Relative viscosity 20 °C, | | 15-20 | |
| Flash point, ⁰ C | | 68 | |
| Oxidation properties | | Absent | |
| Vapor presure | | N/A | |
| | X – STA | ABILITY AND REACTION CAPACITY | |
| Chemical stability | | Material is stable under normal use conditions and storage. | |
| Hazard of polymerization | | Not hazardous | |
| Incompatibility | | With strong oxidants | |
| Hazardous products of decomposition | | Under normal storage conditions, formation of hazardous products is not supposed. | |
| | XI – | TOXICOLOGICAL INFORMATION | |
| Product is not hazardous for organis GOST 12.1.007). | m and r | elates to IV Class of Hazard (substances are moderately hazardous as in | |



| Irritation of skin | | Slight irritation | | |
|---|---|---|--|--|
| Irritation of eyes | | Slight irritation | | |
| Other toxicological information | | Information is based on properties of raw materials. It is not proved its carcinogenic or mutagenic property. | | |
| XII – ECOLOGICAL INFORMATIOM | | | | |
| Eco-toxicological data were not received specially for this product. The information above is based on knowledge of components and results of eco-toxicological research of analogue products. | | | | |
| Acute toxicology | Product is considered non-toxic. Mineral oil does not make chronic action on water organisms under concentration less than 1mg/l. It has slow toxic effect on fish and micro flora of water pools. In water and air in the presence of other substances does not form toxic compounds. | | | |
| Movement | Product is not mixed with water. Under penetration in soil it is absorbed with its particles. | | | |
| Stability | Product is not fast bio-degradable. Basic components are bio-degradable, but product has non bio-degradable substances. | | | |
| Bio-accumulation | Some components can accumulate in alive organisms. | | | |
| Other impacts | It is not supposed a possibility of destruction of ozone layer and influence on global warming. | | | |
| Protection of environment is provided under production with hermetically sealed technical equipment. Liquid and solid wastes are absent. | | | | |
| VIII DECOMMENDATIONS FOR WASTE LITH IS ATION (DEMAIDEDS) | | | | |

XIII - RECOMMENDATIONS FOR WASTE UTILISATION (REMAIDERS)

Wastes (remainders) place in strictly labeled container for next utilization and regeneration. Any means of actions with wastes must be appropriate to all local and public laws and normative acts.

| XIV –INFORMATION AT TRANSPORTATIONS (SHIPMENT) | | | | |
|--|---------------------|--|--|--|
| | ADR/RID: 2 5F Gases | | | |

| | Cargo identification: 1950 Aerosol |
|----------------------|------------------------------------|
| IMDG (Sea transport) | IMDG: 2 1 UN: 1950 2.1 |

EMS: F-D, S-U

UN: 1950

IATA (Air transport)

ICAO/IATA: 2 1
UN: 1950

2.1

Technical name: AEROSOLS

XV - NATIONAL AND INTERNATIONAL LAGISLATION

Laws of Russian Federation:

ADR/RID (Road transport)

Under the international conventions and agreements it is not subjected.

XVI - ADDITIONAL INFORMATION

[&]quot;About technical regulation";

[&]quot;About environmental safety";

[&]quot;About sanitary-epidemiological well-being of the population".



Contents and form of the given document corresponds to requirements:

- 1. GOST 30333-2007 "Passport of safety of chemical production. General requirements".
- 2. GOST 12.1.007-76 « Harmful substances. Classification and general safety requirements".
- 3. GOST 12.1.005-88 «General sanitary-epidemiological requirements to air of working zone".
- 4. GN 2.1.5.1315-03 "Maximum permissible concentration of (MPC) of chemical substances in water of water pools for household-drinking and cultural-household water management".
- 5. ΓΟCT 19433-88 «Hazardous loads. Classification and labeling".

Information in this Safety Card corresponds to the latest modern level of our knowledge about product.

Product is applied and used in accordance to given advises. Information in this Safety Card does not compile instruction on the workplace.

Data contains in the given document have to be opened to any potential users of this product.

Utilization recommendations:

This product is applied and used as compound for sealing of threaded connections as specified in instruction on package for sealing of threaded connections.

Data: Abbreviation: N/A = was not identified;

N/D = is not determined.

For getting additional information about product, contact Sales Department of VMPAUTO LLC (Tel/Fax: +7 (812) 601 05 59.